

Railheads



8b/1
75x45mm
20mm ● Base



8b/2
123x64mm
24mm ● Base



8b/3
140x80mm
40mm ● Base



8b/4
160x60mm
24mm ● Base



8b/5
185x70mm
27mm ● Base



8b/6
210x80mm
30mm ● Base



8b/7
120x70mm
25mm ■ Base



8b/8
155x90mm
32mm ■ Base



8b/9
200x120mm
42mm ■ Base



8b/10
120x35mm
30mm ● Base



8b/11
150x40mm
35mm ● Base



8b/12
147x47mm
26mm ● Base



8b/13
180x59mm
30mm ● Base



9/2
162x88mm
16mm ● Base



9/3
155x20mm
20mm ■ Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

We can replicate old designs, please call us for more information

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk

Railheads



9/4
100x12mm
12mm ■ Base



9/5
120x16mm
16mm ■ Base



9/6
177x20mm
20mm ■ Base



9/7
317x50mm
50mm ■ Base



9/8
162x40mm
16mm ■ Base



9/9
200x57mm
20mm ■ Base
Also see 13/17 & 13/18



9/10
145x38mm
16mm ● Base



9/11
190x50mm
20mm ● Base



10/1
180x45mm
20mm ■ Base



10/2
120x25mm
16mm ■ Base



10/3
170x43mm
20mm ● Base
see 13/46 for 16mm



10/4
185x20mm
20mm ■ Base



10/5
185x20mm
20mm ■ Base



10/6
185x20mm
20mm ■ Base



10/7
150x38mm
16mm ■ Base



10/8
150x38mm
16mm ● Base



10/9
12x300mm

10/10
16x300mm

10/11
20x350mm

10/12
25x350mm



ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

tel. 01384 563356

email. sales@brooksforgings.co.uk

www.brooksforgings.co.uk

Railheads



10/13

130x12mm
12mm ■ Base



10/14

150x16mm
16mm ■ Base



10/15

200x20mm
20mm ■ Base



10/16

220x25mm
25mm ■ Base



10/17

130x12mm
12mm ■ Base



10/18

150x16mm
16mm ■ Base



10/19

150x20mm
20mm ■ Base



10/20

200x20mm
20mm ■ Base



10/21

220x25mm
25mm ■ Base



10/22

130x12mm
12mm ■ Base



10/23

150x16mm
16mm ■ Base



10/24

200x20mm
20mm ■ Base



10/25

220x25mm
25mm ■ Base



10/26

130x12mm
12mm ● Base



10/27

150x16mm
16mm ● Base



10/28

200x20mm
20mm ● Base



10/29

220x25mm
25mm ● Base



10/30

12x300mm

10/31

16x300mm

10/32

20x350mm

10/33

25x350mm



ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk



11/1
116x35mm
16mm ● Base



11/2
260x35mm
35mm ■ Base



11/3
180x130mm
25x30mm ■ Base



11/4
120x60mm
25mm ■ Base



11/5
130x25mm
20mm ■ Base



11/6
130x27mm
20mm ■ Base



11/6a
170x38mm
30mm ■ Base



11/7
210x76mm
16mm ● Base



11/8
185x40mm
22mm ■ Base
Also see
14/86 and 7/45



11/9
160x25mm
27mm ■ Base



11/10
160x20mm
20mm ■ Base



11/11
165x22mm
22mm ■ Base



11/12
295x70mm
20mm ● Base



11/13
190x54mm
20mm ■ Base



12/1
148x44mm
16mm ■ Base



12/3
125x28mm
20mm ● Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

tel. 01384 563356

email. sales@brooksforgings.co.uk

www.brooksforgings.co.uk


Railheads




12/4
200x70mm
25mm ● Base
Also Available in 16mm
Product code 14/88



12/5
127x33mm
33mm ● Base



12/6
148x48mm
16mm ● Base



12/7
200x62mm
20mm ● Base



12/8
185x80mm
30mm ● Base



12/9
115x35mm
16mm ● Base



12/10
146x45mm
28mm ● Base



12/11
150x35mm
20mm ■ Base



12/12
170x22mm
22mm ■ Base



12/13
150x90mm
20mm ■ Base



12/14
140x25mm
25mm ■ Base



13/1a
133x27mm
10mm ■ Base



13/1
120x30mm
20mm ■ Base



13/2
155x40mm
30mm ■ Base



13/3
190x50mm
40mm ■ Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

We can replicate old designs, please call us for more information

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk



13/4
185x90mm
20mm ● Base



13/5
155x70mm
16mm ● Base



13/5a
138x70mm
26mm ● Base



13/6
130x60mm
12mm ● Base



13/6a
120x60mm
20mm ● Base



13/7
125x60mm
12mm ● Base



13/8
155x70mm
16mm ● Base



13/9
190x90mm
20mm ● Base



13/10
140x50mm
20mm ● Base



13/11
125x38mm
16mm ● Base



13/12
90x25mm
12mm ■ Base



13/13
140x60mm
12mm ● Base



13/14
140x60mm
12mm ● Base



13/15
150x71mm
16mm ● Base



13/16
150x71mm
16mm ● Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

We can replicate old designs, please call us for more information

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk

Railheads



13/17
170x40mm
16mm ◆ Base



13/18
220x55mm
20mm ◆ Base



13/19
380x20mm
Plain



13/19a
380x20mm
Double Grooved



13/19b
380x20mm
Wavy



13/20
200x20mm
16mm ■ Base



13/22
200x30mm
20mm ■ Base



13/21
280x25mm
25mm ■ Base



13/23
120x55mm
20mm ● Base



13/24
135x65mm
25mm ● Base



13/25
130x70mm
20mm ■ Base



13/26
110x27mm
27mm ● Base



13/27
150x40mm
40mm ■ Base



13/28
125x65mm
30mm ● Base



13/29
165x75mm
20mm ● Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

We can replicate old designs, please call us for more information

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk



13/30
165x82mm
32mm ● Base



13/31
139x69mm
26mm ● Base



13/32
125x65mm
24mm ● Base



13/36
185x90mm
20mm ● Base



13/37
150x70mm
16mm ● Base



13/38
128x60mm
12mm ● Base



13/39
180x50mm
22mm ● Base



13/40
125x30mm
20mm ■ Base



13/41
165x67mm
19mm ● Base



13/42
162x77mm
20mm ■ Base



13/43
136x74mm
20mm ■ Base



13/44
136x90x28mm
30mm ● Base



13/45
200x80mm
20mm ◆ Base



13/46
170x30mm
16mm ● Base

10/3
170x43mm
20mm ● Base



14/1
125x70mm
20mm ● Base



14/2
160x90mm
25mm ● Base



14/3
200x110mm
30mm ● Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

We can replicate old designs, please call us for more information

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk

Railheads



14/4
160x25mm
25mm ■ Base



14/5
130x33mm
33mm ● Base



14/6
125x60mm
32mm ● Base



14/7
290x25mm
25mm ■ Base



14/8
155x68mm
16mm ● Base



14/9
190x34mm
34mm ● Base



14/10
160x30mm
30mm ● Base



14/11
140x25mm
25mm ● Base



14/15
125x45mm
25mm ● Base



14/16
140x57mm
33mm ● Base



14/17
190x68mm
40mm ● Base



14/18
56x36mm
14mm ■ Base



14/19
235x80mm
20mm ■ Base



14/21
130x75mm
16mm ■ Base



14/24
150x48mm
20mm ■ Base



14/25
175x40mm
20mm ◆ Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk



14/26
140x35mm
16mm ● Base



14/27
150x36mm
16mm ● Base



14/28
155x27mm
20mm ■ Base



14/29
75x23mm
20mm ■ Base



14/34
150x20mm
20mm ■ Base



14/37
95x30mm
16mm ■ Base



14/38
145x40mm
12mm ◆ Base



14/39
146x45mm
28mm ■ Base



14/44
120x16mm
16mm ● Base



14/45
150x57mm
20mm ● Base



14/46
150x40mm
16mm ● Base



14/47
200x28mm
16mm ■ Base



14/48
200x38mm
20mm ■ Base



14/49
200x46mm
25mm ■ Base



14/50
230x60mm
20mm ● Base

Also Available in 40mm. Product code 14/64

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

tel. 01384 563356

email. sales@brooksforgings.co.uk

www.brooksforgings.co.uk

Railheads



14/51
105x42mm
16mm ● Base



14/52
200x50mm
25mm ● Base



14/53
200x48mm
25mm ● Base



14/54
200x50mm
25mm ● Base



14/55
200x20mm
20mm ■ Base



14/56
150x16mm
16mm ● Base



14/57
150x16mm
16mm ● Base



14/58
150x16mm
16mm ● Base



14/59
135x20mm
20mm ■ Base



14/60
150x28mm
16mm ● Base



14/61
150x38mm
16mm ◆ Base



14/62
150x48mm
45mm ● Base



14/63
140x20mm
20mm ■ Base



14/64
215x72mm
40mm ■ Base
Also Available in
16, 20 & 25mm



14/65
190x25mm
20mm ■ Base



14/66
150x20mm
20mm ■ Base



14/67
205x40mm
20mm ■ Base



14/68
100x40mm
20mm ■ Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

tel. 01384 563356

email. sales@brooksforgings.co.uk

www.brooksforgings.co.uk



14/69
170x30mm
16mm ● Base



14/70
123x75mm
14mm ● Base



14/71
180x20mm
20mm ■ Base



14/72
215x22mm
22mm ■ Base



14/73
200x50mm
25mm ■ Base



14/74
150x25mm
25mm ■ Base



14/75
150x16mm
16mm ■ Base



14/76
150x25mm
25mm ■ Base



14/77
165x73mm
20mm ● Base



14/78
140x65mm
16mm ● Base



14/79
177x35mm
35mm ● Base



14/80
180x68mm
25mm ■ Base



14/81
142x40mm
20mm ■ Base



14/82
200x12mm
12mm ● Base



14/83
144x45mm
25mm ● Base



14/84
200x22mm
22mm ■ Base



14/85
140x52mm
22mm ● Base



14/86
190x38mm
20mm ■ Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk

Railheads



14/87
200x69mm
20mm ■ Base



14/88
200x67mm
16mm ● Base
Also Available in 25mm
Product code 12/4




14/89
210x20mm
20mm ■ Base



14/90
130x45mm
20mm ◆ Base



14/91
130x20mm
20mm ■ Base



14/92
200x32mm
22mm ■ Base



14/93
100x24mm
12mm ■ Base



14/94
95x36mm
12mm ● Base



14/95
300x70mm
20mm ■ Base



14/96
125x28mm
20mm ■ Base



14/97
175x25mm
25mm ■ Base



14/98
171x38mm
38mm ■ Base



14/99
150x30mm
20mm ● Base



14/100
235x24mm
20mm ■ Base

ADDITIONAL INFORMATION

Weldable

Suitable for galvanising

tel. 01384 563356 email. sales@brooksforgings.co.uk www.brooksforgings.co.uk